



# **Portability Like No Other**

The P-215 blends speed and compactness seamlessly



# Business Can be simple

Find out more at www.canon-asia.com

# ULTRA-COMPACT, CONVENIENT AND STYLISH DESIGN WITH SUPERIOR PERFORMANCE

There's no need for any unwieldy power cables with the P-215, as it conveniently runs off the computer's USB port. The stylish and compact scanner is not only visually appealing, but also contains useful features such as CaptureOnTouch Lite plug-and-scan operation, one-pass duplex scanning, a built-in card scanner, and Windows and Mac compatibility. Whether you are in the office or on the go, the multi-purpose P-215 will have you covered.



# **SCANNING FEATURES**

### Full Auto Mode

Simple scanning is made possible with the Full Auto Mode, where optimum scan settings are automatically selected based on the type of document. It saves you time and effort by automatically discarding blank pages (Skip Blank Page), straightening images of documents scanned at an angle (Deskew), determining whether to save scanned images in color (Auto Color Detection), detecting the page size of a document (Auto Size Detection), determining the scanning resolution (Automatic Setting of Resolution), and rotating images to the correct text orientation (Text Orientation).

- Edge Enhancement
- Moiré Reduction
- Prevent Bleed Through/ Remove Background
- Background Smoothing
- Character Emphasis

# **BUNDLED SOFTWARE**



Presto! BizCard lets you scan business cards to convert and organize important contact information into a searchable database.

# Presto! PageManager

## Mac OS

Presto! PageManager promptly puts your documents on the computer screen where they can be easily arranged and sorted.



Windows

PaperPort is a file management application renowned for its intuitive and use-friendly graphic interface, making it easy to store, organize, and retrieve your digital documents.



### Windows Mac OS

Evernote is a cloud based data management application. The CaptureOnTouch software comes equipped with an option to send and store data (scanned images, photos, memos, etc.) to the Evernote server. This application is not included in the bundled software; however, a link to the installation site for this application is provided.



## COMPACT AND PORTABLE

A compact and light body that weighs a mere one kilogram and measures just 285 x 95 x 40mm ensures that the P-215 can be easily taken along to just about anywhere. Whether it's at the office, at home, on the road or anywhere in between, the P-215 redefines compactness for A4-size document scanners.



# HIGH-SPEED ONE-PASS SCANNING

High performance scanning is made possible through a class-leading 20-sheet automatic document feeder for super quick one-pass duplex scanning at up to 15ppm/ 30ipm in color or black-and-white.

30

ipm B&W

15

ppm B&W



# CARD SCANNING

A front-facing switch back card slot on the P-215 enables you to scan plastic-type cards by simply inserting them into it.



## WINDOWS AND MAC COMPATIBILITY

With dual OS compatibility, both Windows and Mac OS environments are fully supported for easy connection, setup and operation via USB.

# Win & Mac compatibility

# Plug-and-scan Capture OnTouch with CaptureOnTouch Lite

The P-215 simplifies the setup process down to merely hooking up the scanner to a PC via a single USB cable and letting the in-built CaptureOnTouch Lite software operate the device, resulting in almost instantaneous scanning



 $\langle \mathsf{Top \, screen} \rangle$ 

and saving of scanned documents into popular formats such as PDF (PDF/A), TIFF, JPEG or PPTX.

### USB powering

The P-215 draws power from a single USB port, eliminating the need for a dedicated power cable and reducing clutter around the scanner. The scanner will perform at the maximum scanning speed via a single cable when connected to a USB 3.0 port.




## CaptureOnTouch

The dedicated CaptureOnTouch software suite adds a wide range of expanded functionality to the P-215. In addition to speedy scanning and saving of scanned documents already made possible with CaptureOnTouch Lite, CaptureOnTouch has a broader selection of output methods, such as sending scanned documents to printers, e-mail, and to bundled application software for added user convenience. The P-215 can also be used with various ISIS/TWAIN-based scanning software with a simple flick of the Auto Start switch to OFF.

# (Capture OnTouch)







## Hight-quality imaging

High quality imaging on the P-215 is made possible through Canon's proven image processing technology that allows for high resolution scanning in black-and-white, grayscale, and full-color at up to 600 dpi.

# P-215 Specifications

Туре		Desktop sheet-fed scanner						
Document feeding		Automatic sheet feeding						
Document size		Width: 50.8 - 216 mm (2 - 8.5 in.) Length: 70 - 356 mm (2.76 - 14 in.)						
		For card scanning: $54 \times 86$ mm (2.1 x 3.4 in.)						
Document thickness and weight		0.06 - 0.15 mm, 52 -128 g/m2 (14 - 32 lb. bond)						
		For card scanning: 0.76 mm (0.03 in.) ISO7810 ID-1 compatible						
Feeding capacity		3 mm stack (including curls) or 20 sheets of 64 g/m2 (16 lb. bond)						
Scanning element		CIS						
Light source		LED (Red, Green, and Blue)						
Scanning side		Simplex/Duplex						
		Black and White, Error Diffusion, Advanced Text Enhancement II,						
Scanning modes		8bit (256-level) Grayscale, 24-bit Color						
Scanning resolutions		150 x 150dpi, 200 x 200 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi						
Scanning speed*1	When using USB 2.0	B&W/Grayscale	200 dpi/300 dpi: 12 ppm (Simplex), 14 ipm (Duplex)					
(A4/LTR)	bus power:	Color	200 dpi: 10 ppm (Simplex), 10 ipm (Duplex)					
			300 dpi: 6 ppm (Simplex), 6 ipm (Duplex)					
	When using USB 3.0*2, USB 2.0 bus	B&W/Grayscale	200 dpi/300 dpi: 15 ppm (Simplex), 30 ipm (Duplex)					
	power in combination with the power	Color	200 dpi: 10 ppm (Simplex), 20 ipm (Duplex)					
	supply USB cable, or the AC adapter:		300 dpi: 6 ppm (Simplex), 12 ipm (Duplex)					
Interface		Hi-Speed USB 2.0 (USB 3.0 bus power also supported)						
Scanner driver		Windows: ISIS/TWAIN Driver Mac: TWAIN Driver						
		Windows: ISIS/TWAIN Driver, CaptureOnTouch, CaptureOnTouch Lite(Built-in),						
Software		PaperPort, Presto! BizCard,Evernote*3						
		Mac: TWAIN Driver, CaptureOnTouch, CaptureOnTouch Lite (Built-in), Presto!						
		PageManager, Presto! BizCard, Evernote*3						
Useful functions		Full Auto Mode, Deskew, Auto Size Detection, 3-dimensional Color Correction,						
		User Preference, Color Dropout (R/G/B), Color Enhancement (R), Color Elimination, Auto Color Detection, Shading Correction, Text Enhancement (Advanced Text Enhancement II), Multi Stream (Windows only), Preset Gamma Curve, Prescan, Rotate Image, Scan Panel, Skip Blank Page, Select Scanning Document Side, Scan Area Setting, Text Orientation, Continuous Scanning, Edge Enhancement, Moiré Reduction, Prevent Bleed Through/Remove Background, Contrast Arrangement, Job Function, Background Smoothing,						
				Automatic Setting	of Resolution, Character Emphasis			
				Power supply		With USB 2.0 bus p	With USB 2.0 bus power: 0.5 A (communication cable only),	
						1.0 A (in combination with the power supply USB cable)		
						With USB 3.0*2 bus power: 0.9 A		
						With optional AC Adapter: DC6V, 0.8 A		
				Power consumption		USB cable only: 2.5 W (USB 2.0), 4.5 W (USB 3.0*2)		
		USB cable only: 2.	.5 W (USB 2.0), 4.5 W (USB 3.0~2)					
		-	.5 W (USB 2.0), 4.5 W (USB 3.0°2) ver supply USB cable: 5.0 W (USB 2.0), 7.0 W (USB 3.0*2)					
		USB cable and pow						
Operating environme	nt	USB cable and pow Sleep mode: 1.5 W	ver supply USB cable: 5.0 W (USB 2.0), 7.0 W (USB 3.0*2)					
Operating environme Dimensions (W x D x		USB cable and pow Sleep mode: 1.5 W 10°C - 32.5°C (50°	ver supply USB cable: 5.0 W (USB 2.0), 7.0 W (USB 3.0*2) V Power OFF: 0.1 W					
		USB cable and pow Sleep mode: 1.5 W 10°C - 32.5°C (50° Feed tray closed: 2	ver supply USB cable: 5.0 W (USB 2.0), 7.0 W (USB 3.0*2) V Power OFF: 0.1 W °F - 90.5°F), Humidity: 25 - 80% RH					
		USB cable and pow Sleep mode: 1.5 W 10°C - 32.5°C (50° Feed tray closed: 2	ver supply USB cable: 5.0 W (USB 2.0), 7.0 W (USB 3.0*2) V Power OFF: 0.1 W 'F - 90.5°F), Humidity: 25 - 80% RH 285 x 95 x 40 mm (11.2 x 3.7 x 1.6 in.) 35 x 257 x 202 mm (11.2 x 10.1 x 8 in.)					

ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks.

Other company names and product names appearing in this brochure are the registered trademarks and/or trademarks of their respective owners.



DEALER'S STAMP

\*1 Scanning speed may vary depending on PC environment, scanner settings, and other factors.

\*2 The supplied USB cable is designed specifically for this scanner. Do not use it with any other device.

\*3 Installed via Internet connection.

Specifications are subject to change without notice.

# Canon's Sales and Subsidiaries & Business Partners

### SINGAPORE

Canon Singapore Pte Ltd 1 Harbourfront Avenue #04-01 Keppel Bay Tower Singapore 098632 Tel: (65) 6799 8888 Fax: (65) 6799 8882 www.canon-asia.com www.canon.com.sg

### BANGLADESH

BANGLADESH Flora Limited Adamjee Court Annex-2, 4th Fl. 119-120, Motijheel Commercial Area Dhaka-1000, Bangladesh Tel: (880) 2.7162742.46 Ext-225 Fax: (880) 2.9550030 www.floralimited.com

J.A.N. Associates Ltd House 25, Road 5, Dhanmondi R/A, Tel: (880) 2 8611444 / 9660601 / 9664101 / 8124941 Fax: (880) 2 8610410 jan@bangla.net jan-mkt@global-bd.net

### BRUNE

BRUNEI Interhouse Company P.O. Box 423, Seri Complex BA1779, Bandar Seri Begawan BF1320 No. 5-7, Bunut Jaya Complex Sog. 574, Km 7 1/4, Jalan Tutong Negara Brunei Darussalam Tel: (673) 2 653001 Fax: (673) 2 653003 www.ihc.com.bn

### CAMBODIA

Royal Cambodia Co Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel: (855) 23 428 955 Fax: (855) 23 722 961 www.royalgroup.com.kh rcccanon@royalgroup.com.kh

### HONG KONG

Canon Hongkong Co., Ltd. 19/F., The Metropolis Tower, 10 Metropolis Drive, Hunghom, Kowloon, Hong Kong Tel: (852) 3191 2388 Fax: (852) 2369 3800 www.canon.com.hk

### INDIA

Canon India Pvt Ltd. 2nd Floor, Tower A & B Cyber Greens, DLF Phrase III Guragon – 122002 Haryana, India Tel: (91) 124 416 0000 Fax: (91) 124 416 0011 www.canon.co.in

### INDONESIA

P. T. Datascrip P I. Datascrip Kawasan Niaga Selatan Blok B-15 Bandar Kemayoran Jakarta 10610 Indonesia Tel: (62) 21 6544515 Fax: (62) 21 6544811 to 13 www.datascrip.com

### MALAYSIA

Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square, Saujana Resort Section U2, 40150 Shah Alam, Selangor Darul Ehsan, Malavsia Tel: (60) 3 7844 6000 / 7845 0055 Fax: (60) 3 7844 6196 / 6198 www.canon.com.my

### MALDIVES

SIMDI Office Automation / SIMDI Company Pvt Ltd G.Faith, Majeedhee Magu, 20-139, Male', Maldives Tel: (960) 333 4421 Fax: (960) 333 4421 www.simdi.com ramieze@simdi.com

### MYANMAR

Myanmar Golden Rock International Co., Ltd FJV Commercial Centre Level 6, No. 422-426 Strand Road Botataung Township Yangon, Myanmar Tel: (95) 1 202092 to 96 Fax: (95) 1 202079 sales@mgr.com.mm

### NEPAL

International Electronics Concern Pvt Ltd Kha 14 1st Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, PO. Box 12588 Tel: (977) 1 4421911 Fax: (977) 1 4421909

#### PAKISTAN

Shirazi Trading Co (Pvt) Ltd 8th Floor, Adamjee House, I.I. Chundrigar Road, Karachi, Pakistan Tel: (92) 21 32417659 / 32417737 Fax: (92) 21 324170397 32417107 32420418 www.shirazitrading.com.pk

### PHILIPPINES

Canon Marketing (Philippines), Inc. Ground Floor Commerce and Industry Plaza, Campus Ave. cor. Park Ave., McKinley Hill, Fort Bonifacio, Taguig Citv

Tel: (632) 884 9000 Fax: (632) 894 4174 www.canon.com.ph

### SRI LANKA

Metropolitan Computers (Pvt.) Ltd 85 Braybrooke, Place Colombo 2, Sri Lanka Tel: (94) 1 2437797 Fax: (94) 1 2448980 www.metropolitan.lk

### THAILAND

Canon Marketing (Thailand) Co. Ltd 9th-10th Fl., 179/34-45 Bangkok City Tower South Sathorn Road Thungmahamek, Sathorn, Bangkok 10120 Tel: (66) 2 344 9999 Fax: (66) 2 344 9960 www.canon.co.th info@canon.co.th

### VIETNAM

Canon Singapore Pte Ltd Ho Chi Minh City Representative Office Floor 6, SaiGon Centre Building

65 Le Loi, Ben Nghe Ward, District 1 Ho Chi Minh City, Vietnam Tel: (84) 8 820 0466 Fax: (84) 8 820 0477 www.canon.com.vn cvro\_eng@canon.com.sg

Hanoi City Representative Office 15 Nguyen Chi Thanh Hanoi, Vietnam Tet: (84) 4 771 1677 Fax: (84) 4 771 1677 www.canon.com.vn cvro\_enq@canon.com.sg